		756, 12 . 6., (1121 .	78T05929A0022000	000017	
	TO	OP SECRET			25 <b>X</b> 1
	(c) NATIONAL PH	OTOGRAPHIC INTE	RPRETATION CENTE	ER	
			Attachment		25X1
				13 December	1966
				Page 1	
				Copy <u>1</u>	
REFERENCE:					25X1
	<u>si</u>	MILAR MISSILE P	ELATED BUILDINGS		
		USSR			
		•			
1. SIGNIFICA	NCE:	SIMILARITIES	ARE OBSERVED BET	TWEEN 2 UNIDENTI	FIED
		FACILITIES,	ONE AT PLESETSK M	MISSILE AND SPAC	E
		CENTER AND T	HE OTHER AT TYURA	ATAM MISSILE TES	T
		CENTER.			
2. LOCATION:		PLESETSK MIS	SILE AND SPACE CE	ENTER: THE UNID	ENTIFIEI
		FACILITY IS	LOCATED IMMEDIATE	ELY EAST OF THE	
		HOUSING/ADMI	NISTRATION AREA.		
		TYURATAM MIS	SILE TEST CENTER:	: AT THE SUPPOR	.T
		FACILITY, LA	UNCH COMPLEX "A".		
3. REMARKS:		NONE			
					25X′

These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for and must be considered valid only for the reporting period as indicated by the date of issue. For information concerning these notes contact Chief, Collateral Support Division, NPIC.

GROUP | Excluded from outomotic dawngrading and declassification

**TOP SECRET** 

Approved For Release 2009/06/12: CIA-RDP78T05929A002200090001-7

25X1

5. FIRST IDENTIFICATION: PLESETSK UNIDENTIFIED FACILITY:  JUN 64  TYURATAM UNIDENTIFIED FACILITY:  6. NEGATION DATE: PLESETSK UNIDENTIFIED FACILITY:  TYURATAM UNIDENTIFIED FACILITY:  7. SUBSEQUENT COVERAGE: PLESETSK UNIDENTIFIED FACILITY: 18 kH-1 AND 2  KH-7 MISSIONS.  TYURATAM UNIDENTIFIED FACILITY: 17 KH-4, 7 KH-7  AND 1  25X  8. DIMENSIONS/ SPECIFICATIONS: MULTI-STORY BUILDINGS: 140 X 160 FT  9. MISSION READOUT: THE UNIDENTIFIED FACILITY AT PLESETSK (THE  WESTERNMOST) CONTAINS A MULTI-STORY MASONRY BUILDING MEASURING APPROXIMATELY  140 BY 160 BY 80 FT WHICH APPEARS TO BE NEARLY IDENTICAL TO THE NEWLY CONSTRUCTED  LARGE BUILDING IN THE SUPPORT FACILITY FOR COMPLEX "A" AT TYURATAM. THE  BUILDING AT PLESETSK IS RAIL SERVED WHEREAS THE ONE AT TYURATAM AS YET IS NOT.  THE PLESETSK BUILDING WAS INITIALLY OBSERVED UNDER CONSTRUCTION IN  AND APPEARED TO BE COMPLETE IN  These rotes have been proposed for highing bord(s) they were prepared for and must be considered with only to the to-  ground received to the particular bord(s) they were prepared for and must be considered with only for the re-  product of the construction of the terms of the construction of the terms of the particular bord(s) they were prepared for and must be considered with only for the re-  product of the construction of the construction of the re-  product of the construction of the re-  product of the construction of the construction of the construction of the construction of the re-  product of the construction of			2009/06/12 : CIA-RDP78T05929A002200090001-7  P SECRET	25X <sup>2</sup>
13 December 1966  Page 2  5. FIRST IDENTIFICATION: PLESETSK UNIDENTIFIED FACILITY:  JUN 64  TYURATAM UNIDENTIFIED FACILITY:  6. NEGATION DATE: PLESETSK UNIDENTIFIED FACILITY:  TYURATAM UNIDENTIFIED FACILITY:  7. SUBSEQUENT COVERAGE: PLESETSK UNIDENTIFIED FACILITY: 18 KH-4 AND 2  KH-7 MISSIONS.  TYURATAM UNIDENTIFIED FACILITY: 17 KH-4, 7 KH-7  AND 1  25X  8. DIMENSIONS/ SPECIFICATIONS: MULTI-STORY BUILDINGS: 440 X 160 FT  9. MISSION READOUT: THE UNIDENTIFIED FACILITY AT PLESETSK (THE  WESTERNMOST) CONTAINS A MULTI-STORY MASONRY BUILDING MEASURING APPROXIMATELY  440 BY 160 BY 80 FT WHICH APPEARS TO BE NEARLY IDENTICAL TO THE NEWLY CONSTRUCTED  LARGE BUILDING IN THE SUFFORT FACILITY FOR COMPLEX "A" AT TYURATAM. THE  BUILDING AT PLESETSK IS RAIL SERVED WHEREAS THE ONE AT TYURATAM AS YET IS NOT.  THE PLESETSK BUILDING WAS INITIALLY OBSERVED UNDER CONSTRUCTION IN  AND APPEARED TO BE COMPLETE IN  These soute those been presented for briefling purposes coly and should not be used for official analytical work. Then use should be restricted to the paintical briefling based(s) when were presented for and must be considered valid only for the regional does content they be the presented to be seen concerning these tocs content they delined Support		(c) NATIONAL PH	IOTOGRAPHIC INTERPRETATION CENTER	
5. FIRST IDENTIFICATION: PLESETSK UNIDENTIFIED FACILITY:  JUN 64  TYURATAM UNIDENTIFIED FACILITY:  6. NEGATION DATE: PLESETSK UNIDENTIFIED FACILITY:  TYURATAM UNIDENTIFIED FACILITY:  7. SUBSEQUENT COVERAGE: PLESETSK UNIDENTIFIED FACILITY: 18 KH-4 AND 2  KH-7 MISSIONS.  TYURATAM UNIDENTIFIED FACILITY: 17 KH-4, 7 KH-7  AND 1 25X  8. DIMENSIONS/ SPECIFICATIONS: MULTI-STORY BUILDINGS: 440 X 160 FT  9. MISSION READOUT: THE UNIDENTIFIED FACILITY AT PLESETSK (THE  WESTERNMOST) CONTAINS A MULTI-STORY MASONRY BUILDING MEASURING APPROXIAMTELY  440 BY 160 BY 80 FT WHICH APPEARS TO BE NEARLY IDENTICAL TO THE NEWLY CONSTRUCTED  LARGE BUILDING IN THE SUPPORT FACILITY FOR COMPLEX "A" AT TYURATAM. THE  BUILDING AT PLESETSK IS RAIL SERVED WHEREAS THE ONE AT TYURATAM AS YET IS NOT.  THE PLESETSK BUILDING WAS INITIALLY OBSERVED UNDER CONSTRUCTION IN  AND APPEARED TO BE COMPLETE IN WHILE THE NEW  These notes have been propered for building purposes only and should not be used for detailed annihital work. Their use should be restricted to the particular backing boardot; they were prepared for and must be considered valid only in the re- prince period as indicated by the data of uses. For individual concerning these notes contact feel, Oblited Support				25 <b>X</b> 1
JUN 64 TYURATAM UNIDENTIFIED FACILITY:  6. NEGATION DATE: PLESETSK UNIDENTIFIED FACILITY: TYURATAM UNIDENTIFIED FACILITY:  7. SUBSEQUENT COVERAGE: PLESETSK UNIDENTIFIED FACILITY: 18 KH-4 AND 2 KH-7 MISSIONS.  TYURATAM UNIDENTIFIED FACILITY: 17 KH-4, 7 KH-7 AND 1  25X  8. DIMENSIONS/ SPECIFICATIONS: MULTI-STORY BUILDINGS: 440 X 160 FT  9. MISSION READOUT: THE UNIDENTIFIED FACILITY AT PLESETSK (THE WESTERNMOST) CONTAINS A MULTI-STORY MASONRY BUILDING MEASURING APPROXIAMTELY 440 BY 160 BY 80 FT WHICH APPEARS TO BE NEARLY IDENTICAL TO THE NEWLY CONSTRUCTED LARGE BUILDING IN THE SUPPORT FACILITY FOR COMPLEX "A" AT TYURATAM. THE BUILDING AT PLESETSK IS RAIL SERVED WHEREAS THE ONE AT TYURATAM AS YET IS NOT. THE PLESETSK BUILDING WAS INITIALLY OBSERVED UNDER CONSTRUCTION IN  AND APPEARED TO BE COMPLETE IN  These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing purposes only and should not be used for detailed analytical work.			Page 2	
TYURATAM UNIDENTIFIED FACILITY:  6. NEGATION DATE: PLESETSK UNIDENTIFIED FACILITY:  TYURATAM UNIDENTIFIED FACILITY:  7. SUBSEQUENT COVERAGE: PLESETSK UNIDENTIFIED FACILITY: 18 kH-4 AND 2 KH-7 MISSIONS.  TYURATAM UNIDENTIFIED FACILITY: 17 kH-4, 7 kH-7 AND 1  25X  8. DIMENSIONS/ SPECIFICATIONS: MULTI-STORY BUILDINGS: 440 X 160 FT  9. MISSION READOUT: THE UNIDENTIFIED FACILITY AT PLESETSK (THE WESTERNMOST) CONTAINS A MULTI-STORY MASONRY BUILDING MEASURING APPROXIAMTELY 440 BY 160 BY 80 FT WHICH APPEARS TO BE NEARLY IDENTICAL TO THE NEWLY CONSTRUCTED LARGE BUILDING IN THE SUPPORT FACILITY FOR COMPLEX "A" AT TYURATAM. THE BUILDING AT PLESETSK IS RAIL SERVED WHEREAS THE ONE AT TYURATAM AS YET IS NOT.  THE PLESETSK BUILDING WAS INITIALLY OBSERVED UNDER CONSTRUCTION IN  AND APPEARED TO BE COMPLETE IN  These notes have been proposed for binding purposes only and should not be used for detailed analytical work. Their use should be erabtic indicated by the date of usus. For information concerning these notes considered with only for the responded per proposed for binding purposes only and should not be used for detailed analytical work. Their use should be erabts indicated by the date of usus. For information concerning these notes considered with only for the responding period sends to the considered with only for the responding period sends in other uses should be restricted to the particular briefly period is superfit in fine sends for detailed analytical work. Their uses should be restricted to the particular briefly period is superfit in fine sends for detailed analytical work. Their uses should be restricted to the particular briefly period is superfit in fine sends for detailed analytical work. Their uses should be restricted to the particular briefly period is superfit in fine sends for detailed analytical work. Their uses should be restricted to the particular briefly period in and must be considered with only for the re-	5.	FIRST IDENTIFICATION:	PLESETSK UNIDENTIFIED FACILITY:	25 <b>X</b> 1
6. NEGATION DATE: PLESETSK UNIDENTIFIED FACILITY:  TYURATAM UNIDENTIFIED FACILITY: 18 KH-4 AND 2  KH-7 MISSIONS,  TYURATAM UNIDENTIFIED FACILITY: 17 KH-4, 7 KH-7  AND 1  25X  8. DIMENSIONS/ SPECIFICATIONS: MULTI-STORY BUILDINGS: 440 X 160 FT  9. MISSION READOUT: THE UNIDENTIFIED FACILITY AT PLESETSK (THE WESTERNMOST) CONTAINS A MULTI-STORY MASONRY BUILDING MEASURING APPROXIAMTELY  440 BY 160 BY 80 FT WHICH APPEARS TO BE NEARLY IDENTICAL TO THE NEWLY CONSTRUCTED LARGE BUILDING IN THE SUPPORT FACILITY FOR COMPLEX "A" AT TYURATAM. THE BUILDING AT PLESETSK IS RAIL SERVED WHEREAS THE ONE AT TYURATAM AS YET IS NOT. THE PLESETSK BUILDING WAS INITIALLY OBSERVED UNDER CONSTRUCTION IN  AND APPEARED TO BE COMPLETE IN WHILE THE NEW 2  These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were repeared for and must be considered shopport			JUN 64	
TYURATAM UNIDENTIFIED FACILITY:  7. SUBSEQUENT COVERAGE: PLESETSK UNIDENTIFIED FACILITY: 18 KH-4 AND 2 KH-7 MISSIONS.  TYURATAM UNIDENTIFIED FACILITY: 17 KH-4, 7 KH-7 AND 1  25X  8. DIMENSIONS/ SPECIFICATIONS: MULTI-STORY BUILDINGS: 440 X 160 FT  9. MISSION READOUT: THE UNIDENTIFIED FACILITY AT PLESETSK (THE WESTERNMOST) CONTAINS A MULTI-STORY MASONRY BUILDING MEASURING APPROXIMATELY 440 BY 160 BY 80 FT WHICH APPEARS TO BE NEARLY IDENTICAL TO THE NEWLY CONSTRUCTED LARGE BUILDING IN THE SUPPORT FACILITY FOR COMPLEX "A" AT TYURATAM. THE BUILDING AT PLESETSK IS RAIL SERVED WHEREAS THE ONE AT TYURATAM AS YET IS NOT. THE PLESETSK BUILDING WAS INITIALLY OBSERVED UNDER CONSTRUCTION IN  AND APPEARED TO BE COMPLETE IN  These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing boardys) they errepared for and must be considered valid only for the should be restricted to the particular briefing boardys they errepared for and must be considered valid only for the should be detended by the date of issue. For information concerning these notes context Check Clotheral Support			TYURATAM UNIDENTIFIED FACILITY:	
7. SUBSEQUENT COVERAGE: PLESETSK UNIDENTIFIED FACILITY: 18 KH-4 AND 2  KH-7 MISSIONS.  TYURATAM UNIDENTIFIED FACILITY: 17 KH-4, 7 KH-7  AND 1  25X  8. DIMENSIONS/ SPECIFICATIONS: MULTI-STORY BUILDINGS: 440 X 160 FT  9. MISSION READOUT: THE UNIDENTIFIED FACILITY AT PLESETSK (THE  WESTERNMOST) CONTAINS A MULTI-STORY MASONRY BUILDING MEASURING APPROXIANTELY  440 BY 160 BY 80 FT WHICH APPEARS TO BE NEARLY IDENTICAL TO THE NEWLY CONSTRUCTED  LARGE BUILDING IN THE SUPPORT FACILITY FOR COMPLEX "A" AT TYURATAM. THE  BUILDING AT PLESETSK IS RAIL SERVED WHEREAS THE ONE AT TYURATAM AS YET IS NOT.  THE PLESETSK BUILDING WAS INITIALLY OBSERVED UNDER CONSTRUCTION IN  AND APPEARED TO BE COMPLETE IN  These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing poard(s) they were prepared for and must be considered valid only for the reporting peering indicated by the date of issue. For information concerning these notes contact their Colleted Support	6.	NEGATION DATE:	PLESETSK UNIDENTIFIED FACILITY:	
KH-7 MISSIONS.  TYURATAM UNIDENTIFIED FACILITY: 17 KH-4, 7 KH-7  AND 1  25X  8. DIMENSIONS/ SPECIFICATIONS: MULTI-STORY BUILDINGS: 440 X 160 FT  9. MISSION READOUT: THE UNIDENTIFIED FACILITY AT PLESETSK (THE  WESTERNMOST) CONTAINS A MULTI-STORY MASONRY BUILDING MEASURING APPROXIANTELY  440 BY 160 BY 80 FT WHICH APPEARS TO BE NEARLY IDENTICAL TO THE NEWLY CONSTRUCTED  LARGE BUILDING IN THE SUPPORT FACILITY FOR COMPLEX "A" AT TYURATAM. THE  BUILDING AT PLESETSK IS RAIL SERVED WHEREAS THE ONE AT TYURATAM AS YET IS NOT.  THE PLESETSK BUILDING WAS INITIALLY OBSERVED UNDER CONSTRUCTION IN  AND APPEARED TO BE COMPLETE IN WHILE THE NEW  These notes have been prepared for birefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular birefing board(s) they were prepared for and must be considered valid only for the regioning periods as indicated by the date of issue. For information concerning these notes considered valid only for the regioning periods as indicated by the date of issue. For information concerning these notes considered valid only for the regioning periods as indicated by the date of issue. For information concerning these notes considered valid only for the regions of the particular birefing board(s) they were prepared for and must be considered valid only for the regions of the date of issue. For information concerning these notes considered valid only for the region of the particular birefing board(s) they were prepared for and must be considered valid only for the region of the particular birefing board(s) they were prepared for and must be considered valid only for the region of the particular birefing board(s) they were prepared for and must be considered valid only for the region of the particular birefing board(s) they were prepared for and must be considered valid only for the region of the particular birefing board(s) they were prepared for and must be considered valid only for the region of the particular birefing board(s) they are			TYURATAM UNIDENTIFIED FACILITY:	
TYURATAM UNIDENTIFIED FACILITY: 17 KH-4, 7 KH-7  AND 1  25X  8. DIMENSIONS/ SPECIFICATIONS:  MULTI-STORY BUILDINGS: 440 X 160 FT  9. MISSION READOUT:  THE UNIDENTIFIED FACILITY AT PLESETSK (THE  WESTERNMOST) CONTAINS A MULTI-STORY MASONRY BUILDING MEASURING APPROXIAMTELY  440 BY 160 BY 80 FT WHICH APPEARS TO BE NEARLY IDENTICAL TO THE NEWLY CONSTRUCTED  LARGE BUILDING IN THE SUPPORT FACILITY FOR COMPLEX "A" AT TYURATAM. THE  BUILDING AT PLESETSK IS RAIL SERVED WHEREAS THE ONE AT TYURATAM AS YET IS NOT.  THE PLESETSK BUILDING WAS INITIALLY OBSERVED UNDER CONSTRUCTION IN  AND APPEARED TO BE COMPLETE IN  These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for and must be considered valid only for the responsible of sindicated by the date of the size. For information concerning these notes considered valid only for the re-  porting period as indicated by the date of use. For information concerning these notes considered valid only for the re-  should be restricted by the date of use. For information concerning these notes considered valid only for the re-	7.	SUBSEQUENT COVERAGE:	PLESETSK UNIDENTIFIED FACILITY: 18 KH-4 AND 2	
8. DIMENSIONS/ SPECIFICATIONS: MULTI-STORY BUILDINGS: 440 X 160 FT  9. MISSION READOUT: THE UNIDENTIFIED FACILITY AT PLESETSK (THE WESTERNMOST) CONTAINS A MULTI-STORY MASONRY BUILDING MEASURING APPROXIAMTELY 440 BY 160 BY 80 FT WHICH APPEARS TO BE NEARLY IDENTICAL TO THE NEWLY CONSTRUCTED LARGE BUILDING IN THE SUPPORT FACILITY FOR COMPLEX "A" AT TYURATAM. THE BUILDING AT PLESETSK IS RAIL SERVED WHEREAS THE ONE AT TYURATAM AS YET IS NOT. THE PLESETSK BUILDING WAS INITIALLY OBSERVED UNDER CONSTRUCTION IN  AND APPEARED TO BE COMPLETE IN  These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing boards; they were prepared for and must be considered valid only for the reporting period as indicated by the date of issue, for information concerning these notes contact Chief. (Collated Support			KH-7 MISSIONS.	
8. DIMENSIONS/ SPECIFICATIONS: MULTI-STORY BUILDINGS: 440 X 160 FT  9. MISSION READOUT: THE UNIDENTIFIED FACILITY AT PLESETSK (THE WESTERNMOST) CONTAINS A MULTI-STORY MASONRY BUILDING MEASURING APPROXIMATELY 440 BY 160 BY 80 FT WHICH APPEARS TO BE NEARLY IDENTICAL TO THE NEWLY CONSTRUCTED LARGE BUILDING IN THE SUPPORT FACILITY FOR COMPLEX "A" AT TYURATAM. THE BUILDING AT PLESETSK IS RAIL SERVED WHEREAS THE ONE AT TYURATAM AS YET IS NOT. THE PLESETSK BUILDING WAS INITIALLY OBSERVED UNDER CONSTRUCTION IN  AND APPEARED TO BE COMPLETE IN  These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular days the date of issue. For information concerning these notes contact Chef. Collateral Support			TYURATAM UNIDENTIFIED FACILITY: 17 KH-4, 7 KH-7	
9. MISSION READOUT: THE UNIDENTIFIED FACILITY AT PLESETSK (THE WESTERNMOST) CONTAINS A MULTI-STORY MASONRY BUILDING MEASURING APPROXIAMTELY 440 BY 160 BY 80 FT WHICH APPEARS TO BE NEARLY IDENTICAL TO THE NEWLY CONSTRUCTED LARGE BUILDING IN THE SUPPORT FACILITY FOR COMPLEX "A" AT TYURATAM. THE BUILDING AT PLESETSK IS RAIL SERVED WHEREAS THE ONE AT TYURATAM AS YET IS NOT.  THE PLESETSK BUILDING WAS INITIALLY OBSERVED UNDER CONSTRUCTION IN  AND APPEARED TO BE COMPLETE IN  These notes have been prepared for birefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for and must be considered valid only for the reporting period as indicated by the date of issue. For information concerning these notes contact their Collateral Support			AND 1	25 <b>X</b> 1
WESTERNMOST) CONTAINS A MULTI-STORY MASONRY BUILDING MEASURING APPROXIAMTELY  440 BY 160 BY 80 FT WHICH APPEARS TO BE NEARLY IDENTICAL TO THE NEWLY CONSTRUCTED  LARGE BUILDING IN THE SUPPORT FACILITY FOR COMPLEX "A" AT TYURATAM. THE  BUILDING AT PLESETSK IS RAIL SERVED WHEREAS THE ONE AT TYURATAM AS YET IS NOT.  THE PLESETSK BUILDING WAS INITIALLY OBSERVED UNDER CONSTRUCTION IN  AND APPEARED TO BE COMPLETE IN  WHILE THE NEW  These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for and must be considered valid only for the reporting period as indicated by the date of issue. For information concerning these notes contact Chief, Collateral Support	8,		MULTI-STORY BUILDINGS: 440 X 160 FT	
LARGE BUILDING IN THE SUPPORT FACILITY FOR COMPLEX "A" AT TYURATAM. THE BUILDING AT PLESETSK IS RAIL SERVED WHEREAS THE ONE AT TYURATAM AS YET IS NOT.  THE PLESETSK BUILDING WAS INITIALLY OBSERVED UNDER CONSTRUCTION IN  AND APPEARED TO BE COMPLETE IN  These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for and must be considered valid only for the reporting period as indicated by the date of issue. For information concerning these notes contact Chief, Collateral Support	9.	MISSION READOUT:	THE UNIDENTIFIED FACILITY AT PLESETSK (THE	
LARGE BUILDING IN THE SUPPORT FACILITY FOR COMPLEX "A" AT TYURATAM. THE  BUILDING AT PLESETSK IS RAIL SERVED WHEREAS THE ONE AT TYURATAM AS YET IS NOT.  THE PLESETSK BUILDING WAS INITIALLY OBSERVED UNDER CONSTRUCTION IN  AND APPEARED TO BE COMPLETE IN  These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for and must be considered valid only for the reporting period as indicated by the date of issue. For information concerning these notes contact Chief, Collateral Support		WESTERNMOST) CONTAINS A M	ULTI-STORY MASONRY BUILDING MEASURING APPROXIAMTELY	
LARGE BUILDING IN THE SUPPORT FACILITY FOR COMPLEX "A" AT TYURATAM. THE BUILDING AT PLESETSK IS RAIL SERVED WHEREAS THE ONE AT TYURATAM AS YET IS NOT.  THE PLESETSK BUILDING WAS INITIALLY OBSERVED UNDER CONSTRUCTION IN  AND APPEARED TO BE COMPLETE IN  WHILE THE NEW  These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for and must be considered valid only for the reporting period as indicated by the date of issue. For information concerning these notes contact Chief, Collateral Support		440 BY 160 BY 80 FT WHICH	APPEARS TO BE NEARLY IDENTICAL TO THE NEWLY CONSTRUC	TED
THE PLESETSK BUILDING WAS INITIALLY OBSERVED UNDER CONSTRUCTION IN  AND APPEARED TO BE COMPLETE IN , WHILE THE NEW  These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for and must be considered valid only for the reporting period as indicated by the date of issue. For information concerning these notes contact Chief, Collateral Support				
AND APPEARED TO BE COMPLETE IN WHILE THE NEW  These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for and must be considered valid only for the reporting period as indicated by the date of issue. For information concerning these notes contact Chief, Collateral Support		BUILDING AT PLESETSK IS R	AIL SERVED WHEREAS THE ONE AT TYURATAM AS YET IS NOT.	
These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for and must be considered valid only for the reporting period as indicated by the date of issue. For information concerning these notes contact Chief, Collateral Support		THE PLESETSK BUILDING WAS	INITIALLY OBSERVED UNDER CONSTRUCTION IN	25 <b>X</b> 1
should be restricted to the particular briefing board(s) they were prepared for and must be considered valid only for the reporting period as indicated by the date of issue. For information concerning these notes contact Chief, Collateral Support		AND APPEARED TO	BE COMPLETE IN , WHILE THE NEW	25 <b>X</b> 1
porting period as indicated by the date of issue. For information concerning these notes contact Chief, Collateral Support		These notes have been prepared for br	iefing purposes only and should not be used for detailed analytical work. Their use	
		porting period as indicated by the date	of issue. For information concerning these notes contact Chief, Collateral Support	25X1

Approved For Release 2009/06/12 : CIA-RDP78T05929A002200090001-7


TOP SECRET

Approved For Release 2009/06/12 : CIA-RDP78T05929A002200090001-7	
TOP SECRET	25X1
(c) NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER	
Attachment to 13 December 1966	25X1
Page3	
BUILDING AT LAUNCH COMPLEX "A" WAS FIRST SEEN UNDER CONSTRUCTION IN	25X1
AND APPEARED TO BE COMPLETE IN	25X1
DURING THE SAME PERIOD OF TIME (1964-1966) OTHER NEW ACTIVITY AT PLESETS	SK
INCLUDED THE CONSTRUCTION OF LAUNCH SITES 9, 10 AND 13, ADDITIONS TO LAUNCH	
SITE 2, AND INITIATION OF UNIDENTIFIED CONSTRUCTION 20 MILES TO THE EAST OF	
SITES 9 AND 10.	
	25X1

These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for and must be considered valid only for the reporting period as indicated by the date of issue. For information concerning these notes contact Chief, Collateral Support Division, NPIC.

**TOP SECRET** 

25X1



Approved For Release 2009/06/12 : CIA-RDP78T05929A002200090001-7

mag on botton two photon 25X1

REPRODUCTION OF THIS DOCUMENT IN WHOLE OR IN PART IS PROHIBITED EXCEPT WITH THE PERMISSION OF THE OFFICE OF ORIGIN.

COPY 79